

CAR GLASS POLISH

Page: 1 Compilation date: 04/08/2004 Revision date: 23/04/2015 Revision No: 10

Section 1: Identification of the substance/mixture and of the company/undertaking

1.1. Product identifier

Product name: CAR GLASS POLISH

Product code: NO9/D30/27103

1.2. Relevant identified uses of the substance or mixture and uses advised against

Use of substance / mixture: Cleaner for use on motor vehicle windscreens, mirrors and windows.

1.3. Details of the supplier of the safety data sheet

Company name: AUTOGLYM Works Road Letchworth Herts SG6 1LU UK Tel: +44 (0) 1462 677766 Fax: +44 (0) 1462 677712 Email: sds@autoglym.co.uk

1.4. Emergency telephone number

Emergency tel: +44 (0) 1462 489498 (24Hrs)

Section 2: Hazards identification

2.1. Classification of the substance or mixture

Classification under CHIP: This product has no classification under CHIP.

Classification under CLP: This product has no classification under CLP.

2.2. Label elements

Label elements under CHIP:

Hazard symbols: No significant hazard.

Safety phrases: S2: Keep out of the reach of children.

S28: After contact with skin, wash immediately with plenty of soap and water.

2.3. Other hazards

PBT: This product is not identified as a PBT/vPvB substance.

CAR GLASS POLISH

Page: 2

Section 3: Composition/information on ingredients

3.2. Mixtures

Hazardous ingredients:

TALLOW AMINE ETHOXYLATE

EINE	CS	CAS	CHIP Classification	CLP Classification	Percent
-		61791-26-2	Xn: R22; Xi: R38; Xi: R41; N: R51/53	Acute Tox. 4: H302; Skin Irrit. 2: H315;	<1%
				Eye Irrit. 2: H319; Aquatic Chronic 2:	
				H411	

AMMONIA SOLUTION - REACH registered number(s): 01-2119982985-14-****

215-647-6	1336-21-6	C: R34; N: R50	-	<1%	

NAPTHA (PETROLEUM) HYDROTREATED HEAVY - REACH registered number(s): 01-2119463258-33-XXXX

203-150-3 04/42-48-9 XII: R05; -: R10; -: R00; -: R07 - 30-50%	265-150-3	64742-48-9	Xn: R65; -: R10; -: R66; -: R67	-	30-50%
--	-----------	------------	---------------------------------	---	--------

Section 4: First aid measures

4.1. Description of first aid measures

Skin contact: Wash immediately with plenty of soap and water.

Eye contact: Bathe the eye with running water for 15 minutes.

Ingestion: Wash out mouth with water.

Inhalation: Remove casualty from exposure ensuring one's own safety whilst doing so. If conscious, ensure the casualty sits or lies down.

4.2. Most important symptoms and effects, both acute and delayed

Skin contact: There may be mild irritation at the site of contact.

Eye contact: There may be irritation and redness.

Ingestion: There may be irritation of the throat.

Inhalation: No symptoms.

4.3. Indication of any immediate medical attention and special treatment needed

Immediate / special treatment: Not applicable.

Section 5: Fire-fighting measures

5.1. Extinguishing media

Extinguishing media: Suitable extinguishing media for the surrounding fire should be used. Use water spray to cool

containers.

5.2. Special hazards arising from the substance or mixture

Exposure hazards: In combustion emits toxic fumes.

CAR GLASS POLISH

5.3. Advice for fire-fighters

Advice for fire-fighters: Wear self-contained breathing apparatus. Wear protective clothing to prevent contact with skin and eyes.

Section 6: Accidental release measures

6.1. Personal precautions, protective equipment and emergency procedures

Personal precautions: Refer to section 8 of SDS for personal protection details. Turn leaking containers leak-side up to prevent the escape of liquid.

6.2. Environmental precautions

Environmental precautions: Do not discharge into drains or rivers. Contain the spillage using bunding.

6.3. Methods and material for containment and cleaning up

Clean-up procedures: Absorb into dry earth or sand. Transfer to a closable, labelled salvage container for disposal by an appropriate method. Refer to section 13 of SDS for disposal considerations.

6.4. Reference to other sections

Reference to other sections: Refer to section 8 of SDS.

Section 7: Handling and storage

7.1. Precautions for safe handling

Handling requirements: Avoid direct contact with the substance. Do not handle in a confined space. Smoking is forbidden.

7.2. Conditions for safe storage, including any incompatibilities

Storage conditions: Store in cool, well ventilated area. Keep container tightly closed.

7.3. Specific end use(s)

Specific end use(s): No data available.

Section 8: Exposure controls/personal protection

8.1. Control parameters

Workplace exposure limits: No data available.

DNEL/PNEC Values

DNEL / PNEC No data available.

8.2. Exposure controls

Engineering measures: Ensure there is sufficient ventilation of the area.

Respiratory protection: Respiratory protection not required.

Hand protection: Nitrile gloves.

Eye protection: Safety glasses. Ensure eye bath is to hand.

CAR GLASS POLISH

Skin protection: Protective clothing.

Section 9: Physical and chemical properties

9.1. Information on basic physical and chemical properties

State:	Liquid		
Colour:	Pale blue		
Odour:	Characteristic odour		
Evaporation rate:	No data available.		
Oxidising:	No data available.		
Solubility in water:	Miscible		
Viscosity:	Viscous		
Boiling point/range°C:	100	Melting point/range°C:	No data available.
Flammability limits %: lower:	No data available.	upper:	No data available.
Flash point°C:	45	Part.coeff. n-octanol/water:	No data available.
Autoflammability°C:	No data available.	Vapour pressure:	No data available.
Relative density:	0.9125	pH:	10 - 11
VOC g/I:	No data available.		

9.2. Other information

Other information: No data available.

Section 10: Stability and reactivity

10.1. Reactivity

Reactivity: Stable under recommended transport or storage conditions.

10.2. Chemical stability

Chemical stability: Stable under normal conditions.

10.3. Possibility of hazardous reactions

Hazardous reactions: Hazardous reactions will not occur under normal transport or storage conditions.

Decomposition may occur on exposure to conditions or materials listed below.

10.4. Conditions to avoid

Conditions to avoid: Sources of ignition.

10.5. Incompatible materials

Materials to avoid: Strong oxidising agents. Strong acids. Halogens.

10.6. Hazardous decomposition products

Haz. decomp. products: In combustion emits toxic fumes.

Page: 4

CAR GLASS POLISH

Page: 5

Section 11: Toxicological information

11.1. Information on toxicological effects

Hazardous ingredients:

AMMONIA SOLUTION

ORL	-	LDLO	43	mg/kg
ORL	RAT	LD50	350	mg/kg

NAPTHA (PETROLEUM) HYDROTREATED HEAVY

IHL	RAT	LD50	35	mg/kg
ORL	RAT	LD50	2000	mg/kg

Toxicity values: No data available.

Symptoms / routes of exposure

Skin contact: There may be mild irritation at the site of contact.

Eye contact: There may be irritation and redness.

Ingestion: There may be irritation of the throat.

Inhalation: No symptoms.

Section 12: Ecological information

12.1. Toxicity

Hazardous ingredients:

AMMONIA SOLUTION

- 48H EC50 89 mg/l				
	-	48H EC50	89	mg/l

NAPTHA (PETROLEUM) HYDROTREATED HEAVY

	72H IC50	>100	mg/l
-	48H EC50	1.0	mg/l

12.2. Persistence and degradability

Persistence and degradability: Biodegradable.

12.3. Bioaccumulative potential

Bioaccumulative potential: No bioaccumulation potential.

12.4. Mobility in soil

12.5. Results of PBT and vPvB assessment

PBT identification: This product is not identified as a PBT/vPvB substance.

CAR GLASS POLISH

Page: 6

12.6. Other adverse effects

Other adverse effects: Negligible ecotoxicity.

Section 13: Disposal considerations

13.1. Waste treatment methods

Waste code number: 140603

NB: The user's attention is drawn to the possible existence of regional or national regulations regarding disposal.

Section 14: Transport information

Transport class: This product does not require a classification for transport.

Section 15: Regulatory information

15.1. Safety, health and environmental regulations/legislation specific for the substance or mixture

15.2. Chemical Safety Assessment

Chemical safety assessment: A chemical safety assessment has not been carried out for the substance or the mixture by the supplier.

Section 16: Other information

Other information:	This safety data sheet is prepared in accordance with Commission Regulation (EU) No 453/2010.
	* indicates text in the SDS which has changed since the last revision.
Phrases used in s.2 and s.3:	H302: Harmful if swallowed.
	H315: Causes skin irritation.
	H319: Causes serious eye irritation.
	H411: Toxic to aquatic life with long lasting effects.
	R10: Flammable.
	R22: Harmful if swallowed.
	R34: Causes burns.
	R38: Irritating to skin.
	R41: Risk of serious damage to eyes.
	R50: Very toxic to aquatic organisms.
	R51/53: Toxic to aquatic organisms, may cause long-term adverse effects in the aquatic
	environment.
	R65: Harmful: may cause lung damage if swallowed.
	R66: Repeated exposure may cause skin dryness or cracking.
	R67: Vapours may cause drowsiness and dizziness.
Legend to abbreviations:	PNEC = predicted no effect level

CAR GLASS POLISH

Page: 7

DNEL = derived no effect level

LD50 = median lethal dose

LC50 = median lethal concentration

EC50 = median effective concentration

IC50 = median inhibitory concentration

dw = dry weight

bw = body weight

- cc = closed cup
- oc = open cup
- MUS = mouse

GPG = guinea pig

- RBT = rabbit
- HAM = hamster
- HMN = human
- MAM = mammal
- PGN = pigeon
- IVN = intravenous
- SCU = subcutaneous
- SKN = skin

DRM = dermal

- OCC = ocular/corneal
- PCP = phycico-chemical properties
- Legal disclaimer: The above information is believed to be correct but does not purport to be all inclusive and shall be used only as a guide. This company shall not be held liable for any damage resulting from handling or from contact with the above product.